

## CS62

2-Port PS/2 VGA Cable KVM Switch (1.2m)



CS62 2-port KVM Switch has a handy design integrating with 1.2m of cable. It can control 2 servers via a single console.


### Features

- One PS/2 console controls 2 PS/2 computers
- Compact design, built in 1.2m cables
- All-in-one design
- Superior video quality-up to 2048 x 1536; DDC2B
- Auto Scan function to monitor computer operation
- Non-powered
- OS Compatibility includes Windows 2000/XP/[Vista](#), LINUX and FreeBSD

**Specification**

|                        |   |
|------------------------|---|
| Computer Connections   | 2   |
| Port Selection         | Hotkey  |
| Connectors             |   |
| Console Ports          | 1 x 6-pin Min-DIN Female (Purple)<br>1 x 6-pin Min-DIN Female (Green)<br>1 x HDB-15 Female (Blue)                               |
| KVM Ports              | 2 x 6-pin Min-DIN Male (Purple)<br>2 x 6-pin Min-DIN Male (Green)<br>2 x HDB-15 Male (Blue)                                     |
| LEDs                   |   |
| Selected               | 2 (Green)   |
| Cable Length           |   |
| Computer               | 2 x 1.2 m   |
| Emulation              |   |
| Keyboard / Mouse       | PS/2  |
| Video                  | 2048 x 1536; DDC2B  |
| Scan Interval          | 3, 5, 10, 20 seconds  |
| Environmental          |   |
| Operating Temperature  | 0-50°C  |
| Storage Temperature    | -20-60°C  |
| Humidity               | 0-80% RH, Non-condensing  |
| Physical Properties    |   |
| Housing                | Plastic   |
| Weight                 | 0.27 kg ( 0.59 lb )   |
| Dimensions (L x W x H) | 7.30 x 6.24 x 2.25 cm<br>(2.87 x 2.46 x 0.89 in.)   |
| Note                   | For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format. |

Diagram



**ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.