

## US4324

2 x 4 USB 3.2 Gen 1 Sharing Switch



essentials

# 2 X 4 USB 3.2 Gen 1 Sharing Switch



US4324

SuperSpeed

# 5 Gbps

Data Transfer

## Computer



USB-A x2

## Peripheral



USB-A x3

USB-C x1



## Bus-Powered Design

USB-C Input for Optional Power Boost


## Multiplatform Support

Windows | macOS | Linux



Accent Light

## One-Button Switch



Pushbutton



Remote Port Selector



Switch Smart Among Four Peripherals. Clutter-Free Control.



**essentials** 2 X 4 USB 3.2 Gen 1 Sharing Switch **US4324**

All references to and depictions of connectable products, including those produced by Apple, or other brands, for illustrative demonstration purposes only, not intended to suggest any endorsement or sponsorship by or affiliation with those product manufacturers.

The US4324 is a 2-Port USB 3.2 Gen 1 Sharing Switch designed to accommodate the use of USB-A and USB-C devices required for modern workspaces. Powered by USB-C, it provides easy, clutter-free control of up to four peripherals between the computer or tablet, creating a clean, clutter-free workspace. Efficient, reliable, and easy to use, the switching device is the perfect solution for your workspace.



Sleek.

Compact.

Portable.





Share All Devices with One-Button Switch

Flexible Bus-Powered Design

The switch automatically powers on when connected to a computer. For setups involving power-intensive peripherals, an auxiliary USB-C port is available to connect a power adapter, guaranteeing stable performance and reliability.



Save Time with 5 Gbps  
SuperSpeed Data Transfer







## What's in the Box



### Talk to Our Experts

If you prefer to have ATEN contact you, please complete the form and a representative will be in touch with you shortly




Accent Light



Compact Design



USB 3.2 Gen 1



One Button Switch



Remote Port Selector



**Features**

- InstaSync™ Technology
  - Fast USB switching capability that keeps the flow smooth and uninterrupted
  
- Four USB Device Sharing Across Two Computers
  - Farewell to the need of swapping cables and peripherals between two separate computers
  
- 5 Gbps Data Transfer with USB 3.2 Gen 1
  - Up to 5 Gbps SuperSpeed data transfer rates, which is about 10 times faster than the USB 2.0 standard, allow users to transfer large files quickly and efficiently
  
- Quick Switch via Built-In Pushbutton and Remote Port Selector
  - Enjoy the hassle-free experience of switching USB peripherals between two systems with just one single press to the button on US4324 or the remote port selector (package included)
  
- Compact Enclosure with Accent Lighting
  - Aesthetically pleasing with its accent lighting and a casing so compact that it occupies very little space
  
- Hot Pluggable
  - Allows adding / removal of the peripherals/computers connected to the installation without having to power down the switch. Besides, no drivers or software is required
  
- OS Independent
  - Compatible with mainstream operating systems including Windows, macOS, and Linux

**Specifications**

Computer Connections	2
Port Selection	Pushbutton / Remote Port Selector
Connectors	
Computer	2 x USB Type-A Female (Blue)
Device	3 x USB Type-A Female (Blue) 1 x USB Type-C Female (Black)
Power (Optional)	1 x USB Type-C Female (Black)
Remote Port Selector	1 x USB Type-C Female (Black)
Cable Length	
USB Cable	2 x USB 3.2 Gen 1 Type-A to Type-A Cable (1.5 m)
LEDs	
Selected	2 (Orange)
Power	2 (Orange, Bottom Side)
Environmental	
Operating Temperature	0 – 40 °C
Storage Temperature	-20 – 60 °C
Humidity	10 – 80 % RH, Non-condensing
Physical Properties	
Housing	Plastic
Weight	0.07 kg ( 0.17 lb )
Dimensions (L x W x H)	14.50 x 5.65 x 1.52 cm (5.71 x 2.22 x 0.6 in.)
Carton Lot	20 pcs
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram





Simply Better Connections

**ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.